



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

192-223

Date of Issuance:

6/11/18

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Dexol® All-In-1 Rose & Flower
Care

Name and Address of Registrant (include ZIP Code):

Julie Spagnoli, JM Specialty Consulting
Agent for Value Garden Supply, Company No. 192
44 Pine Lane Ranch Rd.
Laurel, MS 39443

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Richard Gebken, Product Manager 10
Invertebrate & Vertebrate Branch 2
Registration Division (7505P)
Office of Pesticide Programs

Date:

6/11/18

2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Acephate GDCI-103301-17892
 - b. Tebuconazole GDCI-128897-1598

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 192-223.”
5. Submit one copy of the final printed label for the record before you release the product for shipment.


Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 07/25/2017
- Alternate CSF 1 dated 08/04/2017

If you have any questions, please contact Richard Gebken via email at gebken.richard@epa.gov.

Sincerely,



Richard Gebken
Product Manager 10
Invertebrate & Vertebrate Branch 2
Registration Division (7505P)
Office of Pesticide Programs

Enclosure


DRAFT 6-10-18 Note To PM:

Bold, italicized text is information for the reviewer and is not part of the label
[Bracketed information is optional.] Text separated by / denotes and/or options.

Dexol[®] All-In-1 Rose & Flower Care

ACTIVE INGREDIENT:

Acephate (O,S-Dimethyl
acetylphosphoramidothioate)..... 1.50%
Tebuconazole..... 0.48%
OTHER INGREDIENTS..... 98.02%
TOTAL.....100.00%



STOP – Read This Entire Label Before Use

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautionary Statements and First Aid on back panel.
[See back panel booklet for additional precautionary statements]

Net Contents: 4 lb, 5 lb, 6 lb, 10 lb, 12 lb

Alternate Brand Names: Gardener's Choice Rose Guard
Dexol Guard Flower & Shrub Care
Systemic Plant Care

Optional Marketing Claims

Fertilizer Claims

- Promotes Strong Roots and Beautiful Blooms
- Promotes beautiful roses, shrubs, and flowers
- Feeds for up to 6 weeks
- Feeds and revitalizes for up to 6 weeks
- Keeps on feeding for up to 6 weeks
- Continuous feeding for up to 6 weeks
- Improves plant growth
- Increases plant growth
- Revitalizes roses, flowers and shrubs
- Stimulates roses, flowers and shrub recovery
- Increases plant growth
- Promotes stronger root systems
- Provides slow release feeding

General & Combination Claims

- Feeds and protects [against listed insects and diseases] in one [easy] step
- 100% Satisfaction Guaranteed [or your money back]
- 3 Systemic Products in One [3-Way protection]
 - Fertilizer- Feeds & Revitalizes
 - Disease Controls
 - Insect Control
- Complete Rose and Flower Care

DRAFT 6-10-18 Note To PM:

Bold, italicized text is information for the reviewer and is not part of the label
[Bracketed information is optional.] Text separated by / denotes and/or options.

- Easy to use
- No spraying or mixing
- Protects and feeds the entire plant [rose, flower, shrub]
- Easy to use measuring cap [cup]
- No messy spraying
- 3 Systemic Products in One
 - Fertilizer- Promotes strong roots and beautiful blooms
 - Insect Control- Aphids, Lace Bugs & other listed [pests]
 - Disease Control- Black Spot, Powdery Mildew, Rust & other listed [*] diseases
- Won't wash off with rain or sprinklers.
- Rainproof protection
- For roses, flowers, & shrubs.
- Kills both chewing and sucking listed insects.
- For outdoor use on Azaleas, Camellias, and Rhododendrons
- For outdoor use on flowering shrubs
- For outdoor use on flowers, roses, shrubs, and bedding plants
- Promotes beautiful roses, shrubs, and flowers

Pesticidal Claims

- Kills listed Damaging Insects
- Protects against listed insects
- Rainproof Protection
- This product protects against listed insects and diseases for up to six weeks and feeds your plant. Now you can grow beautiful roses, flowers and shrubs in one easy step.
- Keeps on feeding for up to 6 weeks
- Provides up to 6 weeks listed insect and disease protection
- Kills Aphids, Lace Bugs, and other listed [*] insects
- Kills harmful listed insects
- One application protects for up to 6 weeks
- Controls Aphids and other listed insects
- Protects against listed Insects & Diseases for up to 6 weeks
- Controls listed insects and diseases for up to 6 weeks [plus feeds]
- Even protects new growth
- For control of listed diseases on Roses, Flowers, and Shrubs
- Prevents [Stops][Cures] listed diseases of Roses, Flowers and Shrubs
- Controls listed diseases that harm roses, flowers and shrubs
- Rescues Roses, Flowers, and Shrubs from Insects & Diseases
- Cures listed diseases and restores beauty to roses, flowers and shrubs
- A new way to feed and protect your roses, flowers, and shrubs from listed insects & diseases
- Ready-To-Use Granules

Marketing Claims for New Easy Open Cap

- [Gripper][Ridged][Cap] makes the bottle easy to open
- EZ Open [Gripper][Ridged][Cap][Lid][Top]
- Easy Open [Gripper][Ridged][Cap][Lid][Top]
- Easy Screw Off [Cap][Lid][Top]
- EZ [Open] Grip
- Easy [Open] Grip
- [Cap][Lid][Top] opens with ease
- [Cap][Lid][Top] opens easily
- Ridged cap makes the bottle easy to open

DRAFT 6-10-18 Note To PM:

Bold, italicized text is information for the reviewer and is not part of the label
[Bracketed information is optional.] Text separated by / denotes and/or options.

- EZ Open Ridged Cap
- Easy Open Ridged Cap
- Easy Screw Off Cap
- EZ Open Cap
- Cap opens easily
- Cap opens with ease
- No more struggling to [remove][open]the cap with the [new][EZ] ridged cap
- Comfort Cap
- Easy Twist Off Cap
- Remove Cap easily
- Comfort [Cap][Lid][Top]
- Easy [Open] Cap
- Easy Twist Off [Cap][Lid][top]
- Remove [cap][lid][top] easily
- Easy twist off design
- Fill line helps you see how much to use
- Fill measuring cap to the FILL LINE [indicated on the exterior of the cap][X oz.]

Bonus Size/Promotional Language

- 33% more vs. 3 lb. size [(for 4 lb. size)]
- 25% more vs. 4 lb. size [(for 5 lb. size)]
- 100% more vs. 4 lb. size [(for 8 lb. size)]
- 50% more vs. 4 lb. size [(for 6 lb. size)]
- Value Pack
- Multi-Pack
- Free sample

End of Optional Marketing Claims

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and gloves made of any waterproof material. Wash hands thoroughly with soap and water after handling.

FIRST AID

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center for further treatment advice.

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

If On Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

DRAFT 6-10-18 Note To PM:

Bold, italicized text is information for the reviewer and is not part of the label
[Bracketed information is optional.] Text separated by / denotes and/or options.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

Note to Physician: This product contains a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may call toll free 1-877-229-3763 for medical emergency information.

USER SAFETY RECOMMENDATIONS: When handling the product, wear chemical resistant gloves made of any water proof material, long pants, and long sleeved shirt. Wash the outside of gloves with soap and water before removing. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. User should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and aquatic invertebrates. Do not apply to water. Do not contaminate water when disposing of equipment washwaters or rinsate. Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

[Dexol® All-In-1 Rose & Flower Care] [This Product's] formula feeds and protects against [listed] [*] insects & diseases in one easy step. It provides 6 week protection against major [listed] [*] problems of roses, hibiscus, iris and other flowers and shrubs. Easy to use – no spraying or mixing. Growing roses and flowers has never been easier!

READ THE LABEL FIRST!

QUICK FACTS

- | | |
|--|---|
| <ul style="list-style-type: none">• 3 Systemic Products in One<ul style="list-style-type: none">◦ Fertilizer – Feeds & Revitalizes | <ul style="list-style-type: none">• Protects Against [listed] [*] Insects & [listed] [*] Diseases for 6 Weeks• Easy To Use• No Spraying or Mixing |
|--|---|

DRAFT 6-10-18 Note To PM:

Bold, italicized text is information for the reviewer and is not part of the label
[Bracketed information is optional.] Text separated by / denotes and/or options.

◦ Control [Kills] Listed Insects		
◦ Controls [Kills] Listed Diseases		
INSECTS CONTROLLED	Insects Aphids Cuban Laurel Thrips (Ficus) Leafhoppers Lace Bugs Holly Leaf Miners Japanese Beetles (Adults)	Birch Leaf Miners Maple Shoot Moths Elm Leaf Beetles Willow Leaf Beetles Obscure Root Weevils
DISEASES CONTROLLED	Diseases	Plants
	Black Spot Powdery Mildew Rust	Roses
	Powdery Mildew Rust Southern Blight	Flowers
	Black Spot Powdery Mildew Rust Southern Blight	Azaleas Camellias Rhododendrons And other landscape [ornamental] Shrubs
FEEDS	XX-XX-XX fertilizer for strong roots, shoots and blooms	
WHERE TO USE	Roses, flowers, iris, hibiscus, azaleas, camellias, rhododendrons and other shrubs	
WHEN TO USE	Every 6 weeks throughout the growing season	
COVERAGE	Treats up to XX roses and other shrubs or over XX square feet of flowerbed	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact people or pets. Do not allow people or pets to enter treated area until dusts have settled.

[This combination of a fertilizer with a systemic insecticide helps plants to grow strong and vigorously and prevents damage caused by certain listed destructive insects as they feed. Systemic means that the insecticide is absorbed into the plant through the root system and then moves internally through the sap stream into the branches, leaves, blossoms and new growth.]

[[Dexol® Systemic Plant Care] [This Product] protects against listed insects and diseases for 6 weeks. It cannot be washed off by rain or sprinkling since the protection is internal. This systemic action protects all plant surfaces including undersides of leaves and blossoms. New growth is also fully protected, when used as directed.]

USE RESTRICTIONS: Always wear chemical resistant gloves, long pants, and long sleeved shirt when applying this product or mixing into the soil as directed. **DO NOT** apply to plants

DRAFT 6-10-18 Note To PM:

Bold, italicized text is information for the reviewer and is not part of the label
[Bracketed information is optional.] Text separated by / denotes and/or options.

used for food or feed. **DO NOT** apply to ornamentals that are planted directly beneath food producing trees such as fruit or nut bearing trees.

FOR ESTABLISHED PLANTS: Apply when plants have about one inch of new growth in the spring and reapply every six weeks through the end of summer. Follow directions for Flowers and Ornamental Shrubs.

FOR ESTABLISHED ROSES: Apply 1/2 cup, 4.5 oz. evenly over an area of 3' x 3' (9 sq. ft.) around the base of each plant and work into top 1 to 2 inches of soil. Water in thoroughly.

WHEN PLANTING NEW ROSE BUSHES: Do not apply to newly planted roses until they have become well established or have been planted in the ground for 3 months. Then follow directions for established roses.

FOR FLOWERS: Apply approximately 2/3 lb. per each 25 sq. ft. (5' x 5') of bed area. Work into top 1 to 2 inches of soil. Plant seed or set plant and water thoroughly. Do not apply additional fertilizer for six weeks. Do not get on foliage when foliage is wet.

FOR ORNAMENTAL SHRUBS: Apply 2/3 cup, 6 oz. for each foot of shrub height (2 cups for 3' high shrub). Distribute the required amount evenly from the base to the dripline of all sides of the plants. Work into top 1 to 2 inches of soil and water in thoroughly.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **Storage:** Store in a cool dry place away from children and pets. Keep in original container and preferably in a locked storage area.

Container Handling: [icon]: **If empty:** Do not reuse empty container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

GUARANTEED ANALYSIS: [BY WT.]

[optional variations of fertilizer analysis]

Total Nitrogen (N).....	6.00%
8% Ammoniacal Nitrogen	
Available Phosphate (P2O5).....	9.00%
Soluble Potash (K2O).....	6.00%
Sulfur (S).....	2.80%
2.80% Combined Sulfur(S)	

Plant nutrients derived from: Ammonium Sulfate, Diammonium Phosphate, Potassium Chloride.

OR

[Total Nitrogen (N).....	X.XX%
X.XX% Ammoniacal Nitrogen	
Available Phosphate (P2O5).....	X.XX%
Soluble Potash (K2O).....	X.XX%
Sulfur (S).....	X.XX%

DRAFT 6-10-18 Note To PM:

Bold, italicized text is information for the reviewer and is not part of the label
[Bracketed information is optional.] Text separated by / denotes and/or options.

X.XX% Combined Sulfur(S)

Plant nutrients derived from: Ammonium Sulfate, Diammonium Phosphate, Potassium Chloride]

[Total Nitrogen (N).....XX%
XX% Ammoniacal Nitrogen
Available Phosphate (P2O5).....XX%
Soluble Potash (K2O).....XX%
Sulfur (S).....XX%
X.XX% Combined Sulfur(S)
Plant nutrients derived from:

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with label directions. Information regarding the contents and levels of metals in this product is available on the internet at <http://www.wa.gov/agr/>.

-or-

To the extent consistent with applicable law...is available on the internet at <http://www.wa.gov/agr/> [<http://aapfco.org/metels.html>]

[CAUTION: The application of fertilizing materials containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum (Mo) which are toxic to ruminant animals.]

EPA Reg. No.192 - XXX

EPA Est. No. XXX-XXX

Distributed by:
Value Garden Supply
St. Joseph, MO 64502
(952) 884-6477
[www.valuegardens.com]

NET WT. [5 lbs. (2.27 kg)]